## BI64211PX











Pizza Mode



Pyrolytic Self-Clean



Frozen Food Mode



**Total View** 



Air Fry



Even Bake Technology



Big volume



Gratin



Simultaneous Cooking



Cool Door



Cooling System



Fast Preheat



## General information

Product group:	Electric oven	Oven type:	Multisystem oven
Energy efficiency class:	A+	Colour of the product:	Stainless Steel
Touch-free Inox:	Yes	Interior material:	Extra Durable Enamel
Door hinge:	Classic	Even Bake:	Yes
Efficiency			
Usable oven volume:	77 L	Max. oven temperature:	300 °C
Surface of the largest baking pan:	1360 cm <sup>2</sup>		
Control			
Temperature control:	Electronic	Timer:	IconLed
Knob shape:	Ergonomic knobs		
Heating types			
Heating type:	Fast Preheat	Heating type:	Lower and upper heater with ventilator
Heating type:	Large infra heater with fan	Heating type:	Air Fry
Heating type:	Circular heater	Heating type:	Lower and upper heater
Heating type:	Large infra heater	Heating type:	Gentle Bake
Heating type:	Pizza Mode	Heating type:	Frozen Bake Mode
Heating type:	Defrost Mode	Heating type:	Pyrolytic Self-Clean
Heating type:	Oven light		
Features			
Interior light:	Above	Removable flat oven inner door glass:	Yes, removable
Foldable upper heater:	No	Simultanious baking on multiple levels:	Yes
Pro Grill:	Yes	Super Size:	Yes
Gratin:	Yes		
Equipment			
Oven guides:	1 wire guide	Baking pans:	1 shallow enameled baking pan



Wire shelf: Meat Probe: No 1 pcs Safety Quadruple glazed oven door with double heat deflector UltraCoolDoorQuadro Door glazing: Door surface temperature: Dynamic oven cooling plus - DC+ Cooling fan: Cleaning Pyrolytic self cleaning oven: Yes Technical data Energy consumption (venting): 0.71 kWh Consumption in standby mode: 0.701 W Time needed for the appliance to Connected load: 3.5 kW reach the applicable low power 3 min mode or condition: Width of the product: 595 mm Height of the product: 595 mm Width of niche size for 564 mm Depth of the product: 564 mm installation max .: Width of niche size for Height of niche size for 560 mm 600 mm installation min.: installation max.: Height of niche size for Depth of niche size for 590 mm 550 mm installation min.: installation min.: Height of the packed product: 660 mm Width of the packed product: 620 mm Depth of the packed product: 675 mm Gross weight: 33.1 kg 31.1 kg 220-240 V Net weight: Voltage: 50-60 Hz Product code: 741062 Frequency: EAN code: 3838782640476