



Pizza Mode



Steam Clean



Frozen Food Mode



Total View



Air Fry



Even Bake Technology



Big volume



Gratin



Cooling System



Fast Preheat

## Features

Interior light:	<b>Above</b>	Removable flat oven inner door glass:	<b>Yes, removable</b>
Foldable upper heater:	<b>No</b>	Pro Grill:	<b>Yes</b>
MultiAir:	<b>Yes</b>	Super Size:	<b>Yes</b>
Gratin:	<b>Yes</b>		

## General information

Product group:	<b>Electric oven</b>	Oven type:	<b>Multisystem oven</b>
Energy efficiency class:	<b>A</b>	Colour of the product:	<b>Stainless Steel</b>
Touch-free Inox:	<b>Yes</b>	Interior material:	<b>Extra Durable Enamel</b>
Door hinge:	<b>Classic</b>	Even Bake:	<b>Yes</b>

## Efficiency

Usable oven volume:	<b>77 L</b>	Max. oven temperature:	<b>300 °C</b>
Surface of the largest baking pan:	<b>1360 cm²</b>		

## Control

Temperature control:	<b>Mechanical</b>	Timer:	<b>IconLed</b>
Knob shape:	<b>Non-illuminated push-pull knob</b>		

## Heating types

Heating type:	<b>Fast Preheat</b>	Heating type:	<b>Lower and upper heater with ventilator</b>
Heating type:	<b>Large infra heater with fan</b>	Heating type:	<b>Air Fry</b>
Heating type:	<b>Circular heater with entry steam</b>	Heating type:	<b>Lower and upper heater with entry steam</b>
Heating type:	<b>Large infra heater</b>	Heating type:	<b>Gentle Bake</b>
Heating type:	<b>Pizza Mode</b>	Heating type:	<b>Frozen Bake Mode</b>
Heating type:	<b>Defrost Mode</b>	Heating type:	
Heating type:	<b>Oven light</b>		

## Equipment

Oven guides:	<b>1 wire guide</b>	Baking pans:	<b>1 deep enameled baking pan, 1 shallow enameled baking pan</b>
--------------	---------------------	--------------	--

Wire shelf:	<b>2 pcs</b>	Meat Probe :	<b>No</b>
<b>Safety</b>			
Door glazing:	<b>Double glazed oven door with one heat deflector</b>	Door surface temperature:	<b>CompactDoor</b>
Thermoelectric fuse:	<b>Yes</b>	Cooling fan:	<b>Dynamic oven cooling plus - DC+</b>
<b>Technical data</b>			
Energy consumption (venting):	<b>0.821 kWh</b>	Consumption in standby mode:	<b>0.5 W</b>
Time needed for the appliance to reach the applicable low power mode or condition:	<b>3 min</b>	Connected load:	<b>3.5 kW</b>
Width of the product:	<b>595 mm</b>	Height of the product:	<b>595 mm</b>
Depth of the product:	<b>564 mm</b>	Width of niche size for installation max.:	<b>564 mm</b>
Width of niche size for installation min.:	<b>560 mm</b>	Height of niche size for installation max.:	<b>600 mm</b>
Height of niche size for installation min.:	<b>590 mm</b>	Depth of niche size for installation min.:	<b>550 mm</b>
Width of the packed product:	<b>620 mm</b>	Height of the packed product:	<b>660 mm</b>
Depth of the packed product:	<b>675 mm</b>	Gross weight:	<b>30.2 kg</b>
Net weight:	<b>28.2 kg</b>	Voltage:	<b>220-240 V</b>
Frequency:	<b>50-60 Hz</b>	Product code:	<b>738496</b>
EAN code:	<b>3838782511615</b>		

