

# CH6T4BXUK

# Hisense



2 Extraction Options



LED Lighting



Washable Grease Filters



LED Lighting



3 Speeds

## General information

Product group:	<b>Kitchen hood</b>	Energy efficiency class:	<b>C</b>
Installation type:	<b>Wall freestanding</b>	Hood type:	<b>Decorative T-shape</b>
Operation type:	<b>Venting with air extraction or recirculation</b>	Cabinet material:	<b>Stainless steel</b>
Material of chimney:	<b>Stainless steel</b>	Cabinet colour:	<b>Stainless steel</b>
Colour of decorative chimney:	<b>Stainless steel</b>	Touch-free Inox:	<b>No</b>

## Efficiency

Grease filtering efficiency class:	<b>D</b>	Lightning efficiency class:	<b>A</b>
Fluid dynamic efficiency class:	<b>E</b>	Total power of the motors:	<b>120 W</b>
Number of speed level:	<b>3</b>	Number of lights:	<b>2</b>
Number of motors:	<b>1</b>	Maximum extraction rate by extraction operation:	<b>412 m³/h</b>
Maximum extraction rate by recirculation operation:	<b>340 m³/h</b>	Air flow by extraction version, step 1:	<b>185 m³/h</b>
Air flow by extraction version, step 2:	<b>270 m³/h</b>	Air flow by extraction version, step 3:	<b>412 m³/h</b>
Annual energy consumption:	<b>59.8 kWh</b>		

## Control

Control type:	<b>Knobs</b>
---------------	--------------

## Features

Perimetric suction:	<b>No</b>	Illumination setting:	<b>On/off light switch</b>
---------------------	-----------	-----------------------	----------------------------

## Equipment

Lamp type:	<b>LED</b>	Grease filter:	<b>Aluminium</b>
Number of grease filters:	<b>2</b>	Motor type:	<b>Capacitor</b>
No return airflow flap:	<b>150 mm</b>		

## Additional equipment

Coal filter code (optional as separate purchase):	<b>315275</b>
---	---------------

## Technical data

Noise level (max):	<b>67 dB(A)</b>	Min. height of the chimney:	<b>690 mm</b>
--------------------	-----------------	-----------------------------	---------------

Max. height of the chimney:	<b>1000 mm</b>	Length of electrical cord:	<b>1200 mm</b>
Width of the product:	<b>600 mm</b>	Height of the product:	<b>530 mm</b>
Depth of the product:	<b>403 mm</b>	Width of the packed product:	<b>715 mm</b>
Height of the packed product:	<b>590 mm</b>	Depth of the packed product:	<b>405 mm</b>
Gross weight:	<b>18.2 kg</b>	Net weight:	<b>15.5 kg</b>
Voltage:	<b>230 V</b>	Frequency:	<b>50 Hz</b>
Connected load:	<b>126 W</b>	Product code:	<b>733647</b>
EAN code:	<b>3838782186189</b>		

