
HI6421BSC









Super Zone



Touch Control



Timer



Rapid Boil



Perfect Cooking



Child Lock



Residual Heat Indicators



Features

Keep Warm :	No	Gentle Melt :	No
Bridge function:	Connect Zone	Safety lock:	No
Personalisation:	Yes	Rapid Boil:	Yes
General information			
Product group:	Induction hob	Colour of the product:	Black
Hob type:	Induction	Material of frame:	Without frame
Hob frame edges:	Soft cut edges		
Control			
Type of control:	Touch Control	Timer:	Yes
Multi Slider:	No		
Cooking surface			
Cooking zone front left:	Induction heater	Ø left front (mm):	180
Cooking zone power left front:	1500 W	2. cooking zone power left front:	2000 W
Cooking zone right front:	Induction heater	Ø right front (mm):	230
Cooking zone power right front:	1500 W	2. cooking zone power right front:	2000 W
Cooking zone left behind:	Induction heater	Ø left behind (mm):	180
Cooking zone power left behind:	1500 W	cooking zone power left behind:	2000 W
Cooking zone right behind:	Induction heater	Ø right behind (mm):	145
Cooking zone power right behind:	1200 W	cooking zone power right behind:	1600 W
Safety			
Safety function:	Yes	Child Lock:	Yes
Technical data			
Connected load:	7.2 kW	Power consumption in standby mode of hob:	0.5 W
Time needed for the appliance to reach the applicable low power mode or condition:	1 min	Width of the product:	595 mm
Height of the product:	54 mm	Depth of the product:	520 mm



Width of niche size for installation max.:	562 mm	Width of niche size for installation min.:	560 mm
Height of niche size for installation min.:	70 mm	Depth of niche size for installation min.:	490 mm
Width of the packed product:	650 mm	Height of the packed product:	100 mm
Depth of the packed product:	590 mm	Gross weight:	8.3 kg
Net weight:	7.8 kg	Voltage:	220-240 V
Product code:	743648	EAN code:	3838782780356

