



Auto Dry



1h Programme



Glassware Programme



Flexible Cutlery Basket



Flexible Baskets



Automatic Programme



Super Silent Operation



Aqua Protect System



Eco Programme



15 min Fast Cleaning



Touch Control



Hot Water Connection



Intuitive Control



Aqua Protect System

## General information

Product group:	<b>Dishwasher</b>	Energy efficiency class:	<b>C</b>
Noise class:	<b>C</b>	Basket helper colour:	<b>Light grey</b>
Spray arm material:	<b>Plastic</b>		

## Efficiency

Cleaning performance:	<b>A</b>	Drying performance:	<b>A</b>
Drive:	<b>Asynchronous motor</b>	Water consumption per cycle for the Eco program:	<b>9.701 L</b>
Max. temperature of inflow water:	<b>70 °C</b>	Energy consumption per cycle for the Eco program 40-60° C :	<b>0.74 kWh</b>
Energy consumption per 100 cycles:	<b>74 kWh</b>	Consumption in standby mode:	<b>0.49 W</b>
Start delay (W):	<b>3.99</b>		

## Control

Possible to control via Wi-Fi:	<b>No</b>	Control:	<b>Touch Control</b>
Wash end indicator:	<b>Light - sound signal</b>	Start delay:	<b>0-24 hours</b>
Function 3 in 1:	<b>Yes</b>		

## Programmes


Dishwashing programs:	<b>Short Programme, Crystal glasses, Programme Hygiene, Eco Programme, Automatic Programme, Intensive Programme</b>	Personalisation of Programmes:	<b>Memory Programme</b>
Main wash temperature (°C):	<b>40/45/50/55/60/65/70</b>	Duration of Eco programme:	<b>190 min</b>

## Features

Number of place settings:	<b>14 pcs</b>	Upper basket system:	<b>Click-Clack system</b>
Sliding door:	<b>No</b>	Interior light:	<b>No</b>
Status Light:	<b>No</b>	Additional possibilities:	<b>Selfcleaning programme, Auto Dry Automatic door opening, Fast Cleaning</b>
Ioniser:	<b>No</b>	Sensors:	<b>Water level sensor, Clear water sensor</b>
Auto Dosing:	<b>No</b>		

## Equipment

Number of baskets:	2	Upper basket:	4 cup holders, Wide knife stand, Fixed glass support, Fixed pin rows, Foldable/dividable left CupHolder, Foldable right CupHolder, Foldable left CupHolder, Handle with plastic logotype, Handle, Wide mesh base
Lower basket:	No logotype, Cutlery basket, Foldable/dividable rear pin row, Handle with plastic logotype, Handle, Wide mesh base	Top tray:	Without top tray
Safety			
Anti Flood Protection:	Anti Flood Protection	Service diagnostic indicator:	Yes
Tub material:	Stainless steel		
Technical data			
Noise level (max) dB(A):	46	Height setting:	74 mm
Width of the product:	598 mm	Height of the product:	816 mm
Depth of the product:	555 mm	Width of niche size for installation min.:	600 mm
Height of niche size for installation min.:	820 mm	Depth of niche size for installation min.:	555 mm
Width of the packed product:	640 mm	Height of the packed product:	880 mm
Depth of the packed product:	665 mm	Gross weight:	29 kg
Net weight:	27 kg	Voltage:	220-240 V
Product code:	744126	EAN code:	3838782836947
EPREL number:	1873026		



Fixed door length 36, 640-720 (mm), Sliding door 680-760 (mm)

Niche height (mm)	620	630	640	650	660	670	680	690	700	710	720	730	740	750	760
600	760														
610	750	760													
620	740	750	760												
630	730	740	750	760											
640	720	730	740	750	760										
650	710	720	730	740	750	760									
660	700	710	720	730	740	750	760								
670	690	700	710	720	730	740	750	760							
680	680	690	700	710	720	730	740	750	760						
690	670	680	690	700	710	720	730	740	750	760					
700	660	670	680	690	700	710	720	730	740	750	760				
710	650	660	670	680	690	700	710	720	730	740	750	760			
720	640	650	660	670	680	690	700	710	720	730	740	750	760		
730	630	640	650	660	670	680	690	700	710	720	730	740	750	760	
740	620	630	640	650	660	670	680	690	700	710	720	730	740	750	760
750	610	620	630	640	650	660	670	680	690	700	710	720	730	740	750
760	600	610	620	630	640	650	660	670	680	690	700	710	720	730	740
770	590	600	610	620	630	640	650	660	670	680	690	700	710	720	730
780	580	590	600	610	620	630	640	650	660	670	680	690	700	710	720
790	570	580	590	600	610	620	630	640	650	660	670	680	690	700	710
800	560	570	580	590	600	610	620	630	640	650	660	670	680	690	700
810	550	560	570	580	590	600	610	620	630	640	650	660	670	680	690
820	540	550	560	570	580	590	600	610	620	630	640	650	660	670	680
830	530	540	550	560	570	580	590	600	610	620	630	640	650	660	670
840	520	530	540	550	560	570	580	590	600	610	620	630	640	650	660
850	510	520	530	540	550	560	570	580	590	600	610	620	630	640	650
860	500	510	520	530	540	550	560	570	580	590	600	610	620	630	640
870	490	500	510	520	530	540	550	560	570	580	590	600	610	620	630
880	480	490	500	510	520	530	540	550	560	570	580	590	600	610	620
890	470	480	490	500	510	520	530	540	550	560	570	580	590	600	610
900	460	470	480	490	500	510	520	530	540	550	560	570	580	590	600
910	450	460	470	480	490	500	510	520	530	540	550	560	570	580	590
920	440	450	460	470	480	490	500	510	520	530	540	550	560	570	580
930	430	440	450	460	470	480	490	500	510	520	530	540	550	560	570
940	420	430	440	450	460	470	480	490	500	510	520	530	540	550	560
950	410	420	430	440	450	460	470	480	490	500	510	520	530	540	550
960	400	410	420	430	440	450	460	470	480	490	500	510	520	530	540
970	390	400	410	420	430	440	450	460	470	480	490	500	510	520	530
980	380	390	400	410	420	430	440	450	460	470	480	490	500	510	520
990	370	380	390	400	410	420	430	440	450	460	470	480	490	500	510
1000	360	370	380	390	400	410	420	430	440	450	460	470	480	490	500

730 Sliding door  
700 Sliding door or fixed door  
670 Fixed door

