

WF3S1243BB3

Hisense



A-Class



Auto Wash



Big LED Control Display



Delay End



Energy Monitoring



Hygiene Guard



Pause & Add



Quick Wash (15/30/49min)



Self Diagnostic



Smart Assist



Smart Link



Steam Wash



Durable Inverter



Jet Wash

General information

Product group:	Washing machine	Energy efficiency class:	A
Spinning performance class:	B	Noise spinning class:	A
Noise level spinning dB(A):	72	Colour of the product:	Black

Efficiency

Washing capacity:	12 kg	Drum volume:	76 L
Spin speed 1/1:	1400 rpm	Spin speed 1/2:	1400 rpm
Spin speed 1/4:	1400 rpm	Drive:	Durable Inverter
Water container:	No	Program time at Eco program 40–60 °C:	239 min
Duration of Eco programme:	239 min	Water consumption per cycle for the Eco program 40–60 °C:	40 L
Energy consumption per cycle for the Eco program 40–60 °C :	0.43 kWh	Energy consumption per 100 cycles:	43 kWh

Control

Possible to control via Wi-Fi:	Yes, integrated	ConnectLife:	Yes
DelayEnd:	Yes	Drum illumination:	No
Start button:	Start/pause		

Programmes

Number of programmes:	16	Basic washing programs:	Sports, Wool, Synthetics, Cotton
Special washing programs:	Power 49', Remote control, Eco 40–60, Down, Shirts, Quick Wash, Auto Program, Baby Care, Antiallergy Program, ExtraHygiene	Extra washing programs:	Spin, Drum Clean, Rinse/spin
Wi-Fi washing programs:	Steam refresh, Baby, Sports		

Functions

Additional functions:	End of washing setting, Pump stop, Pause, Laundry adding, Quick wash programme, Temperature setting, Skip spin, Prewash	Steam function:	Yes
-----------------------	--	-----------------	------------

Features

Steam Mix:	Yes, heater in tub	Sound signal:	Audio signal
Sensors:	Water level sensor, Load sensor, Temperature sensor, Foam sensor	Cold wash:	15 °C

Detergent dispenser: **3 compartment**

Safety

Aqua Protect System: **No**

Overflow protection: **Yes**

Lockable control panel: **Yes**

Technical data

Width of the product: **595 mm**

Height of the product: **845 mm**

Depth of the product: **640 mm**

Width of the packed product: **660 mm**

Height of the packed product: **890 mm**

Depth of the packed product: **740 mm**

Gross weight: **76 kg**

Net weight: **73 kg**

Voltage: **220-240 V**

Connected load: **1750 W**

Product code: **20014506**

EAN code: **6901101831224**

EPREL number: **1935649**