


Serie | 2 Hobs

PKE611CA1E
592 mm



Dual rings, tough and easy-to-clean glass surfaces and good looks make ceramic hobs a smart addition to your home.

Technical Data

Product name/family :	Cooking zone ceramic
Construction type :	Built-in
Energy input :	Electric
Total number of positions that can be used at the same time :	4
Required niche size for installation (HxWxD) :	46 x 560-560 x 490-500
Width of the product (mm) :	592
Dimensions of the product (mm) :	46 x 592 x 522
Dimensions of the packed product (HxWxD) (mm) :	100 x 590 x 750
Net weight (kg) :	7.0
Gross weight (kg) :	8.0
Residual heat indicator :	Separate
Location of control panel :	right
Basic surface material :	Ceramic
Color of surface :	Black
Approval certificates :	CE, UA, VDE
EAN code :	4242002936406
Electrical connection rating (W) :	6600
Voltage (V) :	220-240
Frequency (Hz) :	60; 50



Serie | 2 Hobs

PKE611CA1E

592 mm

Dual rings, tough and easy-to-clean glass surfaces and good looks make ceramic hobs a smart addition to your home.

Design

- Frameless design

Special features

- 4 zone Quick-Therm hob
- Variable 9-stage power settings for each zone

Safety Features

- Residual heat indicator for each zone

Technical information

- Appliance dimensions: (W/D) 592 mm x 522 mm
- Installation dimensions: (ID/W/D) 46 mm x 560 mm x 490 mm
- Min. worktop thickness: 20 mm
- Total connected load: 6600 W
- Cooking zones: 1 x Ø 145 mm, 1.2 KW; 1 x Ø 210 mm, 2.2 KW;
1 x Ø 180 mm, 2 KW; 1 x Ø 180 mm, 2 KW

Serie | 2 Hobs

PKE611CA1E

592 mm

